

---

## CSS - how to change style?

Posted by simo6 - 2006/05/22 12:19

---

Just installed new version for Joomla on my site but it looks it doesnt fit perfectly with the template i use.  
Is there a way to use default Blastchat template?

Post edited by: Prutkar, at: 2006/05/23 08:15

=====

## Re:how to change style?

Posted by Prutkar - 2006/05/22 12:54

---

Very soon I will be adding Admin menu "CSS" where you will be able to find (copy/paste) CSS definitions that you can use to modify your template's CSS file, but for eager ones like yourself, here it is:

Simply copy/paste to your template\_css.css (Joomla, Mambo) or template.css (Joomla 1.5):

```
/*this will modify background of window*/
```

```
body.blastchat {  
  margin: 3px 0px 3px 0px;  
  padding: 0px 0px 0px 0px;  
  vertical-align: top;  
  font-family: Verdana, Arial, Helvetica, sans-serif;  
  font-size: 11px;  
  color:#474747;  
  background: url('../images/outer_center.png');  
}
```

```
/*definitions to adjust/overwrite menu areas*/
```

```
.bc_sectiontableheader {  
  background-color : #4DA5FF;  
  color           : #FFFFFF;  
  padding: 0px 0px 0px 0px;  
  font-weight    : bold;  
  letter-spacing : 0px;  
}
```

```
/*definitions to adjust/overwrite menu areas*/
```

```
.bc_sectiontableheader a:link {  
  color: blue;  
  background-color: transparent;  
  font-weight: bold;  
  text-decoration: none;  
}
```

```
/*definitions to adjust/overwrite menu areas*/
```

```
.bc_sectiontableheader a:visited {  
  color: blue;  
  background-color: transparent;  
  font-weight: bold;  
  text-decoration: none;  
}
```

```
/*definitions to adjust/overwrite menu areas*/
```

```
.bc_sectiontableheader a:hover {  
  color: orange;  
  background-color: transparent;  
  font-weight: bold;  
  text-decoration: none;  
}
```

```
/*definitions to adjust/overwrite messages stripes*/
```

```
.bc_sectiontableentry1 {  
  margin: 3px 0px 3px 0px;
```

```
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background-color : #FFFFFF;
}
```

```
/*definitions to adjust/overwrite messages stripes*/
```

```
.bc_sectiontableentry2 {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background-color : #F3F3F3;
}
```

```
/*from nick*/
```

```
/*message sent from me*/
```

```
.bc_msg_from {
font-weight : bold;
}
```

```
/*to nick*/
```

```
/*message sent to me*/
```

```
.bc_msg_to {
font-weight : bold;
}
```

```
/*user list my own nick*/
```

```
.bc_usr_to {
font-weight : bold;
}
```

```
/*private message sent*/
```

```
.bc_msg_text_privs {
color : blue;
}
```

```
/*private message received*/
```

```
.bc_msg_text_privr {
color : red;
}
```

```
/*definitions to adjust/overwrite submit form area*/
```

```
.bc_sectiontableheader_form {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background: url('../images/outer_center.png');
background-color : #F3F3F3;
}
```

Post edited by: Prutkar, at: 2006/05/22 13:03

---

## Re:how to change style?

Posted by simo6 - 2006/05/23 06:04

---

style of the template i used for my site keep overriding everything

I added the CSS file i tried to modify too.

:ohmy:

```
/* CSS Document */
iframe {float: right;}
html {
  height: 100%;
}

body {
  height: 100%;
  margin-bottom: 1px;
}

#main {
  padding:2px; border: 1px solid #282828
;
  width: 802px;
  margin-left: auto;
  margin-right: auto;
}

.clr {
  clear: both;
}

.contentpane {
  width: 735px;
}

.outline { border: 1px solid #282828
;
  background: #000000;
  padding: 2px;
/*
  width: 802px;
  margin-left: auto;
  margin-right: auto;*/
}

#buttons_outer {
  width: 735px;
  margin-bottom: 2px;
  margin-right: 2px;
  float: left;
}

#buttons_inner { border: 1px solid #282828
;
  height: 21px;
}

#pathway_text {
  position: absolute;
  bottom: 2px;
  left: 2px;
  overflow: hidden;
  display: block;
  height: 25px;
  width: 628px;
  line-height: 25px !important;
  line-height: 22px;
```

```
color: white;
padding-left: 4px;
}
```

```
#pathway_text img {
margin-left: 5px;
margin-right: 5px;
margin-top: 0px;
}
```

```
#pathway_text a{
color: white;
}
```

```
#pathway_text a:hover {
color: #C22512;
}
```

```
#buttons {
float: left;
margin: 0px;
padding: 0px;
width: auto;
}
```

```
ul#mainlevel-nav
{
list-style: none;
padding: 0;
margin: 0;
font-size: 0.8em;
}
```

```
ul#mainlevel-nav li
{
background-image: none;
padding-left: 0px;
padding-right: 0px;
float: left;
margin: 0;
font-size: 11px;
line-height: 21px;
white-space: nowrap;
border-right-width: 1px;
border-right-style: solid;
border-right-color: #333333;
}
```

```
ul#mainlevel-nav li a
{
display: block;
padding-left: 15px;
padding-right: 15px;
text-decoration: none;
color: #CCCCCC;
background: transparent;
}
```

```
#buttons>ul#mainlevel-nav li a { width: auto; }
```

```
ul#mainlevel-nav li a:hover
{
color: #fff;
background-color: #383838;
}
```

```
}
```

```
#search_outer {  
  float: left;  
  width: 165px;  
}
```

```
#search_inner { border: 1px solid #282828  
;  
padding: 0px;  
  height: 21px !important;  
  height: 23px;  
  overflow: hidden;  
}
```

```
#search_inner form {  
  padding: 0;  
  margin: 0;  
}
```

```
#search_inner .inputbox {  
  border: 0px;  
  padding: 3px 3px 3px 5px;  
  font-family: arial, helvetica, sans-serif;  
  font-size: 11px;  
  color: #990000;  
}
```

```
#header_outer {  
  text-align: left;  
  border: 0px;  
  margin: 0px;  
}
```

```
#header {  
  position: relative;  
  float: left;  
  padding: 0px;  
  margin-right: 2px;  
  width: 735px;  
  height: 150px;  
  background: url(../images/header_short.jpg) no-repeat;  
}
```

```
#top_outer{  
  float: left;  
  width: 165px;  
}
```

```
#top_inner {  
  border: 1px solid #282828;  
  padding: 2px;  
  height: 144px !important;  
  height: 150px;  
  overflow: hidden;  
  float: none !important;  
  float: left;  
}
```

```
#top_inner .moduletable {  
  color: #990000;  
}
```

```
#left_side {  
  vertical-align: top;  
}
```

```
#left_outer {
width: 165px;
float: left;
}

#left_inner { border: 1px solid #282828
;
padding: 2px;
float: none !important;
float: left;
}

#main_area {
padding-top: 2px;
}

#main_body {
vertical-align: top;
padding-left: 2px;
width: 100%;
}

#content_outer {
padding: 0px;
margin-top: 0px;
margin-left: 2px;
/** border: 1px solid #282828
;
**/
float: left;
width: 635px;
}

#content_inner{
float: none !important;
float: left;
padding: 0;
padding-top: 2px;
margin: 0;
}

table.content_table {
width: 100%;
padding: 0px;
margin: 0px;
}

table.content_table td {
padding: 0px;
margin: 0px;
}

#banner_inner {
padding: 0px;
text-align: center;
margin: 0px;
margin-bottom: 2px !important;
margin-bottom: 0px;
}

#poweredby_inner {
float: right;
padding-left: 1px;
```

```
margin-left: 0px;
height: 70px;
}

#right_side {
vertical-align: top;
padding-left: 2px;
}

#right_outer {
margin-left: 0px;
width: 165px;
}

#right_inner { border: 1px solid #282828
;
padding: 2px;
}

#user1_user2 {
}

.user1_inner { border: 1px solid #282828
;
float: none !important;
float: left;
margin: 0px;
margin-right: 2px;
padding: 2px;
}

.user2_inner { border: 1px solid #282828
;
float: none !important;
float: left;
margin: 0px;
padding: 2px;
}

#body_outer {
float: left;
padding: 2px;
margin-top: 2px; border: 1px solid #282828;
}

#active_menu {
color:#fff;
}

a#active_menu:hover {
color: #C22512;
}

.maintitle {
color: #000000;
font-size: 40px;
padding-left: 15px;
padding-top: 20px;
}

.error {
font-style: italic;
text-transform: uppercase;
padding: 5px;
color: #ffffff;
}
```

```
font-size: 14px;
font-weight: bold;
}
```

```
/** old stuff **/
```

```
.back_button {
float: left;
text-align: center;
font-size: 11px;
font-weight: bold;
width: auto;
line-height: 20px;
margin: 1px;
padding-top: 0px;
padding-right: 8px;
padding-bottom: 0px;
padding-left: 8px;
background-image: url(../images/sechdr1bg.png);
background-repeat: repeat-x;
border: 1px outset #333333;
}
```

```
.pagenav {
float: left;
text-align: center;
font-size: 11px;
font-weight: bold;
border: 1px double #3B3B3B;
width: auto;
line-height: 20px;
margin: 1px;
padding-top: 0px;
padding-right: 8px;
padding-bottom: 0px;
padding-left: 8px;
background-image: url(../images/sechdr1bg.png);
background-repeat: repeat-x;
}
```

```
.pagenavbar {
margin-right: 10px;
float: right;
}
```

```
#footer {
text-align: center;
padding: 3px;
}
```

```
ul
{
margin: 0;
padding: 0;
list-style: none;
}
```

```
li
{
line-height: 15px;
padding-left: 15px;
padding-top: 0px;
background-image: url(../images/bullet.png);
background-repeat: no-repeat;
background-position: 0px 2px;
}
```

```
}
```

```
td {  
  text-align: left;  
  font-size: 11px;  
}
```

```
body {  
  margin: 15px;  
  height: 100%;  
  padding: 0px;  
  font-family: Arial, Helvetica, "Sans Serif";  
  line-height: 120%;  
  font-size: 11px;  
  color: #CCCCCC;  
  background: #000000;  
}
```

```
/* Joomla core stuff */  
a:link, a:visited {  
  color: #C22512; text-decoration: none;  
  font-weight: bold;  
}
```

```
a:hover {  
  color: #77150B;  
  text-decoration: none;  
  font-weight: bold;  
}
```

```
table.contentpaneopen {  
  width: 100%;  
  padding: 0px;  
  border-collapse: collapse;  
  border-spacing: 0px;  
  margin: 0px;  
}
```

```
table.contentpaneopen td {  
}
```

```
table.contentpaneopen td.componentheading {  
  padding-left: 4px;  
}
```

```
table.contentpane {  
  width: 100%;  
  padding: 0px;  
  border-collapse: collapse;  
  border-spacing: 0px;  
  margin: 0px;  
}
```

```
table.contentpane td {  
  margin: 0px;  
  padding: 0px;  
}
```

```
table.contentpane td.componentheading {  
  padding-left: 4px;
```

```
}
```

```
table.contentpaneopen fieldset {  
border: 0px;  
border-bottom: 1px solid #eee;  
}
```

```
.button {  
text-align: center;  
font-size: 11px;  
font-weight: bold;  
width: auto;  
line-height: 20px;  
margin: 1px;  
padding-top: 3px;  
padding-right: 8px;  
padding-bottom: 3px;  
padding-left: 8px;  
background-image: url(../images/sechdr1bg.png);  
background-repeat: repeat-x;  
color: #CCCCCC;  
border-top-width: 1px;  
border-right-width: 1px;  
border-bottom-width: 1px;  
border-left-width: 1px;  
border-top-style: solid;  
border-right-style: solid;  
border-bottom-style: solid;  
border-left-style: solid;  
border-top-color: #990000;  
border-right-color: #660000;  
border-bottom-color: #710000;  
border-left-color: #990000;  
}
```

```
.inputbox {  
padding: 2px;  
border: 1px solid #990000;  
background-color: #000000;  
color: #999999;  
}
```

```
.componentheading {  
background: url(../images/subhead_bg.png) repeat-x;  
color: #CE2415;  
text-align: left;  
padding-top: 4px;  
padding-left: 4px;  
height: 21px;  
font-weight: bold;  
font-size: 10px;  
text-transform: uppercase;  
}
```

```
.contentcolumn {  
padding-right: 5px;  
}
```

```
.contentheading {  
height: 30px;  
color: #990000;  
font-weight: bold;  
font-size: 14px;  
white-space: nowrap;
```

```
}
```

```
.contentpagetitle {  
font-size: 13px;  
font-weight: bold;  
color: #ffffff;  
text-align:left;  
}
```

```
table.searchinto {  
width: 100%;  
}
```

```
table.searchintro td {  
font-weight: bold;  
}
```

```
table.moduletable {  
width: 100%;  
margin-bottom: 5px;  
padding: 0px;  
border-spacing: 0px;  
  
}
```

```
div.moduletable {  
padding: 0;  
margin-bottom: 2px;  
}
```

```
table.moduletable th, div.moduletable h3 {  
background: url(../images/subhead_bg.png) repeat-x;  
color: #999999;  
text-align: left;  
padding-left: 4px;  
height: 21px;  
line-height: 21px;  
font-weight: bold;  
font-size: 10px;  
text-transform: uppercase;  
margin: 0 0 2px 0;  
}
```

```
table.moduletable td {  
font-size: 11px;  
padding: 0px;  
margin: 0px;  
font-weight: normal;  
}
```

```
table.pollstableborder td {  
padding: 2px;  
}
```

```
.sectiontableheader {  
font-weight: bold;  
padding: 4px;  
background-color: #000000;  
background-image: url(../images/sechdrbg.png);  
background-repeat: repeat-x;  
height: 23px;  
border-top-width: 1px;  
border-bottom-width: 1px;
```

```
border-top-style: solid;
border-bottom-style: solid;
border-top-color: #2A2A2A;
border-bottom-color: #2A2A2A;
background-position: top;
}
```

```
.sectiontablefooter {
}
```

```
.sectiontableentry1 {
background-color : #101010;
font-size: 11px;
color: #CCCCCC;
height: 23px;
background-image: url(../images/sechdr1bg.png);
background-repeat: repeat-x;
background-position: left top;
}
```

```
.sectiontableentry2 {
background-color : #101010;
font-size: 11px;
color: #CCCCCC;
height: 23px;
background-image: url(../images/sechdr1bg.png);
background-repeat: repeat-x;
background-position: left top;
}
```

```
.small {
color: #999999;
font-size: 11px;
}
```

```
.createdate {
height: 15px;
padding-bottom: 10px;
color: #999999;
font-size: 11px;
}
```

```
.modifydate {
height: 15px;
padding-top: 10px;
color: #999999;
font-size: 11px;
}
```

```
table.contenttoc { border: 1px solid #282828
;
padding: 2px;
margin-left: 2px;
margin-bottom: 2px;
}
```

```
table.contenttoc td {
padding: 2px;
}
```

```
table.contenttoc th {
background: url(../images/subhead_bg.png) repeat-x;
color: #CE2415;
text-align: left;
padding-top: 2px;
}
```

```
padding-left: 4px;
height: 21px;
font-weight: bold;
font-size: 10px;
text-transform: uppercase;
}
```

```
a.mainlevel:link, a.mainlevel:visited {
display: block;
background: url(../images/menu_bg.png) no-repeat;
vertical-align: middle;
font-size: 11px;
color: #ccc;
text-align: left;
padding-top: 5px;
padding-left: 12px;
height: 20px !important;
height: 25px;
text-decoration: none;
font-weight: normal;
}
```

```
a.mainlevel:hover {
background-position: 0px -25px;
text-decoration: none;
color: #fff;
font-weight: normal;
}
```

```
a.sublevel:link, a.sublevel:visited {
padding-left: 1px;
vertical-align: middle;
font-size: 11px;
font-weight: bold;
color: #CCCCCC;
text-align: left;
}
```

```
a.sublevel:hover {
color: #990000;
text-decoration: none;
}
```

```
.highlight {
background-color: Yellow;
color: Blue;
padding: 0;
}
```

```
.code {
background-color: #ddd;
border: 1px solid #bbb;
}
```

```
form {
/* removes space below form elements */
margin: 0;
padding: 0;
}
```

```
div.mosimage {
border: 1px solid #ccc;
}
```

```
.mosimage { border: 1px solid #282828
;
margin: 5px
```

```

}

.mosimage_caption {
margin-top: 2px;
background: #efefef;
padding: 1px 2px;
color: #666;
text-transform: normal;
font-size: 10px;
border-top: 1px solid #ffffff;
}
#showhide {
padding-top: 0px;
padding-right: 0px;
padding-bottom: 0px;
padding-left: 0px;
margin: 0px;
position: relative;
top: 5px;
}

.dd {}

/* BLASTCHAT 2.0 */
/*this will modify background of window*/
body.blastchat {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background: url('../images/outer_center.png');
}

/*definitions to adjust/overwrite menu areas*/
.bc_sectiontableheader {
background-color : #4DA5FF;
color : #FFFFFF;
padding: 0px 0px 0px 0px;
font-weight : bold;
letter-spacing : 0px;
}

/*definitions to adjust/overwrite menu areas*/
.bc_sectiontableheader a:link {
color: blue;
background-color: transparent;
font-weight: bold;
text-decoration: none;
}

/*definitions to adjust/overwrite menu areas*/
.bc_sectiontableheader a:visited {
color: blue;
background-color: transparent;
font-weight: bold;
text-decoration: none;
}

/*definitions to adjust/overwrite menu areas*/
.bc_sectiontableheader a:hover {
color: orange;
background-color: transparent;
font-weight: bold;
}

```

```
text-decoration: none;
}
```

```
/*definitions to adjust/overwrite messages stripes*/
.bc_sectiontableentry1 {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background-color : #FFFFFF;
}
```

```
/*definitions to adjust/overwrite messages stripes*/
.bc_sectiontableentry2 {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background-color : #F3F3F3;
}
```

```
/*from nick*/
/*message sent from me*/
.bc_msg_from {
font-weight : bold;
}
/*to nick*/
/*message sent to me*/
.bc_msg_to {
font-weight : bold;
}
/*user list my own nick*/
.bc_usr_to {
font-weight : bold;
}
```

```
/*private message sent*/
.bc_msg_text_privs {
color : blue;
}
```

```
/*private message received*/
.bc_msg_text_privr {
color : red;
}
```

```
/*definitions to adjust/overwrite submit form area*/
.bc_sectiontableheader_form {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 11px;
color:#474747;
background: url('../images/outer_center.png');
background-color : #F3F3F3;
}
```

Post edited by: simo6, at: 2006/05/23 06:07

=====

---

## Re:how to change style?

Posted by Prutkar - 2006/05/23 08:06

---

what is your website? Let me take a closer look on what's going on.

=====

## Re:how to change style?

Posted by simo6 - 2006/05/23 08:12

---

sure  
<http://www.blackwithin.com>

user: xxx  
password: 123456

link "Community Chat" on the main menu

=====

## Re:how to change style?

Posted by Prutkar - 2006/05/23 08:42

---

1. Very first thing is to make sure that your browser is loading new .css file by erasing cache from it.
2. Best way is to modify things inside you own CSS file to see what it will do and see what will change
3. Here is how I think it works (I am no CSS expert):

class definition like this;  
class="sectiontableheader bc\_sectiontableheader"

wil 1st load "sectiontableheader" definition and then it will overwrite it with "bc\_sectiontableheader". IF you did not overwrite specifcly some style definitions inside of "sectiontableheader" then it will still use them.

```
.sectiontableheader {  
font-weight: bold;  
padding: 4px;  
background-color: #000000;  
background-image: url(../images/sechdrbg.png);  
background-repeat: repeat-x;  
height: 23px;  
border-top-width: 1px;  
border-bottom-width: 1px;  
border-top-style: solid;  
border-bottom-style: solid;  
border-top-color: #2A2A2A;  
border-bottom-color: #2A2A2A;  
background-position: top;  
}
```

```
.bc_sectiontableheader {  
background-color : #4DA5FF;  
color : #FFFFFF;  
padding: 0px 0px 0px 0px;  
font-weight : bold;  
letter-spacing : 0px;  
}
```

If you compare those 2 definitions, you can see that all style definitions that are in "sectiontableheader" but are not in

"bc\_sectiontableheader" will remain being in use.

So the best way to do this, is to:

- A. copy paste your existing and change all you want
- B. modify only those portions of your definition that you need

```
body {  
margin: 15px;  
height: 100%;  
padding: 0px;  
font-family: Arial, Helvetica, "Sans Serif";  
line-height: 120%;  
font-size: 11px;  
color: #CCCCCC;  
background: #000000;  
}
```

```
body.blastchat {  
margin: 3px 0px 3px 0px;  
padding: 0px 0px 0px 0px;  
vertical-align: top;  
font-family: Verdana, Arial, Helvetica, sans-serif;  
font-size: 11px;  
color:#474747;  
background: url('../images/outer_center.png');  
}
```

If you compare "body" you can see that you do not have image from background blastchat definition, so it is still using background #000000 from your original style.

Once again, I only hope it works this way, I did not do extensive research, so I followed only basic instructions on how it should work.

---

## Re:how to change style?

Posted by Prutkar - 2006/05/23 08:50

I have added:

.bc\_sectiontableheader\_usersand.bc\_sectiontableheader\_msgs

Those will overwrite "sectiontableheader" and "bc\_sectiontableheader" and allow you to modify look of top area inside user list and bottom area of msgs

(because especially users top area is not suitable for "sectiontableheader" when background image is used by default)

Post edited by: Prutkar, at: 2006/11/29 06:55

---

## Re:how to change style?

Posted by Prutkar - 2006/05/23 08:52

If you are using definition like

background: url(..images/bg2.gif);to overwrite it I think you must usebackground: url();

Post edited by: Prutkar, at: 2006/05/23 08:54

---

## Re:how to change style?

---

Posted by simo6 - 2006/05/23 09:57

yes Peter, i followed ur advice and something start to come out cuter now lol but i think i need some more work on it ;)  
many thx!!

p.s. for the  
".bc\_bc\_sectiontableheader\_users" and ".bc\_bc\_sectiontableheader\_msgs" to work, we have to wait next release right?

---

## Re:how to change style?

Posted by Prutkar - 2006/05/23 15:13

simo6 wrote:

for the ".bc\_bc\_sectiontableheader\_users" and ".bc\_bc\_sectiontableheader\_msgs" to work, we have to wait next release right?no way, that is the beauty of client as well, you get all new features right away when they are updated on server.

---

## Re:how to change style?

Posted by fiala - 2006/08/28 10:41

Very soon I will be adding Admin menu "CSS" where you will be able to find (copy/paste) CSS definitions that you can use to modify your template's CSS file

I'm really looking forward this feature :-)  
and thanks for the work with this projekt!!!

edit: wow - just found the option to use default template in the konfiguration - great job - looks fine :-)

Post edited by: fiala, at: 2006/09/04 08:29

---

## Re:CSS - how to change style?

Posted by TalkGwinnett - 2007/01/08 14:45

Prutkar, I incorporated the bc template css into my template css and everything is configurable EXCEPT the size of the text in the submission form. It remains a very large font.

Can you direct me to the correct place in the css? Nowhere in my site is a font this large; it looks like a default size because no css is being applied.

It is here if you want to see it:

[http://www.talkgwinnett.net/index.php?option=com\\_blastchatc&Itemid=121](http://www.talkgwinnett.net/index.php?option=com_blastchatc&Itemid=121)

---

## Re:CSS - how to change style?

Posted by Prutkar - 2007/01/08 15:20

Definitions that take care of that area are:

"sectiontableheader" CAN BE OVERWRITTEN BY ".bc\_sectiontableheader" CAN BE OVERWRITTEN BY ".bc\_sectiontableheader\_form"

If you set font size for any of those, it should take care of it.

---

=====

## Re:CSS - how to change style?

Posted by TalkGwinnett - 2007/01/08 15:27

---

The font size doesn't seem to be applied. Here is what I think is the applicable section of the CSS:

```
/*definitions to adjust/overwrite submit form area*/
.bc_sectiontableheader_form {
margin: 3px 0px 3px 0px;
padding: 0px 0px 0px 0px;
vertical-align: top;
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 9px;
color:#000000;
/* background: url('../images/outer_center.png'); */
background-color : #E8E7D7;
}
```

---

## Re:CSS - how to change style?

Posted by Prutkar - 2007/01/08 15:49

---

ok, I adjusted it, <form> elements now do take what was said before, sectiontableheader -> .bc\_sectiontableheader -> .bc\_sectiontableheader\_form

Now remember, sectiontableheader is used in other portion of layout as well as is overwritten by .bc\_sectiontableheader, but .bc\_sectiontable\_form is used only in form area.

---

## Re:CSS - how to change style?

Posted by Prutkar - 2007/01/08 16:20

---

I have made some adjustments:

Form area:

1. body or .blastchat are applied
2. .bc\_form is applied to whole area, all form elements as well
3. .bc\_select, .bc\_input, .bc\_checkbox, .bc\_button is applied for each different form element overwriting previous definitions

Example:

```
.bc_form {
font-family: Verdana, Arial, Helvetica, sans-serif;
font-size: 9px;
color:#000000;
}
```

```
.bc_checkbox {
font-size: 9px;
}
```

```
.bc_input {
font-size: 9px;
}
```

```
.bc_select {
font-size: 9px;
}
```

---

```
.bc_button {  
font-size: 9px;  
}In this exmpale only .bc_form would be needed, as rest is only overwriting font-size which is defined with same value in  
.bc_form
```

Post edited by: Prutkar, at: 2007/01/08 16:22

=====

## Re:CSS - how to change style?

Posted by TalkGwinnett - 2007/01/08 18:55

---

The `Rooms` list shows two different font sizes and faces.

Example: [http://www.talkgwinnett.net/index.php?option=com\\_blastchat&Itemid=129](http://www.talkgwinnett.net/index.php?option=com_blastchat&Itemid=129)

=====

## Re:CSS - how to change style?

Posted by Prutkar - 2007/01/08 20:22

---

sectiontableentry1 and sectiontableentry2 (same principle as before)

=====

## Re:CSS - how to change style?

Posted by ehoffman73 - 2007/04/27 18:25

---

I have modified mine pretty well....I have a dark background so I had to do it the way I did....can you look? Click on Live Chat on the buttons at the top of the page...

How can I fill in that white space that is unused when few chatters are online?

Thanks!

[www.purplepride.org](http://www.purplepride.org)

=====

## Re:CSS - how to change style?

Posted by Prutkar - 2007/04/28 15:03

---

That is a body definition, which can be overwritten by .blastchat if I am not mistaken at this moment.

I know CSS needs a little bit more work, I am trying to select default joomla used definitions, but sometimes it does not work well.

Post edited by: Prutkar, at: 2007/04/28 15:04

=====

## Re:CSS - how to change style?

Posted by dReamZchaS3r - 2007/04/30 04:01

---

is it possible for me to change blastchat layout/css ?  
coz blast chat bg color doesnt seem to be fit with my website which is grey color

=====

---

## Re:CSS - how to change style?

Posted by Prutkar - 2007/04/30 08:32

---

Look, you either:

- a. use BlastChat default CSS
  - b. use your own template's CSS
  - c. use your own template's CSS and you add blastchat definitions to overwrite your own
  - d. you get BlastChat CSS definition file, store it on your harddisk, adjust definitions and point blastchat to read that file
  - e. you create separate file form your .css file an you point BlastChat configuration to use that file.
- 

## Re:CSS - how to change style?

Posted by tekzumo - 2007/08/21 16:01

---

I need help... where I locate css and as I indicate it... thanks

sorry...I don't speak english

Como y donde ubico el ccs y como hago para que el componente tome el css como plantilla.... gracias

---

## Re:CSS - how to change style?

Posted by Prutkar - 2007/08/23 09:07

---

Read previous message (make online translation if needed), you can see blastchat definitions in [http://www.blastchat.com/templates/moschatservice/css/template\\_css.css](http://www.blastchat.com/templates/moschatservice/css/template_css.css)

---

## Re:CSS - how to change style?

Posted by tekzumo - 2007/08/25 00:10

---

Prutkar wrote:

Read previous message (make online translation if needed), you can see blastchat definitions in [http://www.blastchat.com/templates/moschatservice/css/template\\_css.css](http://www.blastchat.com/templates/moschatservice/css/template_css.css)

I read all postâ€¦ copie/page the code to template\_css.css, modify the colors of css that you published but it does not work

since I do so that it worksâ€¦ Please I need to modify the colors... URGENT

thanks for your help and collaboration....

---

## Re:CSS - how to change style?

Posted by Prutkar - 2007/08/27 01:29

---

You have to change configuration of your website and switch from "Default BlastChat CSS" to "Automatic CSS" or "Your own CSS".

You can do it for example at [www.blastchat.com](http://www.blastchat.com) "Your registration" menu link.

---

## Re:CSS - how to change style?

Posted by gman - 2008/01/30 17:22

---

Thank you for this helpful post!

I was able to copy and paste your code then  
modify all the colors.

I now have a cool matching green blast chat box!

=====